Freeform Search

Dat	abase:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Ter	m:	(microwave) same (infrared sensor or infrared detector) same (air or fan or blow\$3 or ventilator or cool\$3)		
Dis	play:	10 Documents in <u>Display Format</u> : - Starting with Nu	mber 1	*****
- Ger	ierate:	O Hit List O Hit Count O Side by Side O Image		
		Search Clear Interrupt Search History		
DATE:	Friday	March 11, 2005 Printable Copy Create Case		
Set Name side by side	Query		<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
T 1	(micro	SPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ wave) same (infrared sensor or infrared detector) same (air or fan or or_ventilator_or cool\$3)	128	<u>L1</u> _

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:	L13 and (object or target or specimen)	
	Documents in <u>Display Format</u> : Starting with Number	1
Generate:	O Hit List O Hit Count O Side by Side O Image Search Clear Interrupt	

DATE: Friday, March 11, 2005 Printable Copy Create Case

<u>Set</u>		Hit	<u>Set</u>
	Query	Count	Name
side by side			result set
	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		1701
<u>L14</u>	L13 and (object or target or specimen)	247	<u>L14</u>
<u>L13</u>	L12 and "window"	292	<u>L13</u>
<u>L12</u>	(pyrometer or thermopile or radiometer or bolometer of infrared detector or infrared sensor) same (fan or blow\$3 or air cool\$3 or convetion cool\$3 or air curtain or tangenial blow\$3 or ventilator)	1441	<u>L12</u>
DB =	DWPI; PLUR=YES; OP=ADJ		
<u>L11</u>	(2002) same (199211)	0	<u>Lll</u>
<u>L10</u>	2002 same 199211	0	<u>L10</u>
DB =	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L9</u>	convection cooled bolometer or convection cooled pyrometer or convection cooled radiation	0	<u>L9</u>
<u>L8</u>	air cooled bolometer or air cooled pyrometer or air cooled radiation	22	<u>L8</u>
<u>L7</u>	L6 and "infrared"	206	<u>L7</u>
<u>L6</u>	air cool\$3 same sensor	2640	<u>L6</u>
<u>L5</u>	air cooled infrared sensor or air cooled infrared detector or air cooled	2	<u>L5</u>

thermopile or air cooled sensor

•		
DB=USPT; PLUR=YES; OP=ADJ		
<u>L4</u> 5323005.pn.	1	<u>L4</u>
DB=EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ		
<u>L3</u> 2002 199211	0	<u>L3</u>
<u>L2</u> 199211	7359	<u>L2</u>
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ		
L1 199211	7422	Ll

END OF SEARCH HISTORY